

AKOPYAN, M.M.; SHAPOVALOV, V.I.; FIRSOV, I.P.

Collection of fleas with a flannel hoop-net on steppes. Med. parazit.,
Moskva no.1:78-81 Jan-Feb 1953. (CLML 24:4)

1. Of Zimovnikovsk Scientific-Research Station.

SHAPOVALOV, V.I.; YASHCHUK, V.A.

Device for measuring susceptibility in incoherent rocks.
Sbor.luch.rats. ~~predl.~~ pt. 2:62-65 '63. (MIRA 17:5)

1. Kiyevskaya geofizicheskaya razvedochnaya ekspeditsiya
Glavnogo upravleniya geologii i okhrany nedor pri Sovete
Ministrov UkrSSSR.

ACC NR: AP6027235

SOURCE CODE: UR/0109/66/011/008/1436/1440

AUTHOR: Kolesov, L. N.; Mekhantsev, Ye. B.; Kil'metov, R. S.;
Shapovalov, V. I.; Zhuravskiy, V. L.

ORG: none

TITLE: Calculation of characteristics of distributed R-C-NR-structures having
p-n-junction-type nonuniform capacitance

SOURCE: Radiotekhnika i elektronika, v. 11, no. 8, 1966, 1436-1440


TOPIC TAGS: pn junction, circuit microminiaturization

ABSTRACT: A complete approximate matrix is set up of admittances of a non-uniform structure (see figure) consisting of two resistances separated by a reverse-biased p-n junction. In practice, such a structure has been used in component microminiaturization, and one of the resistances has been represented

UDC: 539.293.011.41

Card 1/2

ACC NR: AP6027235



by a semiconductor supporting base. Although several nonuniform structures have been analyzed by other researchers (e.g., P. S. Castro, Proc. Nat. El. Conf., v. 19, 1963), they cannot represent the p-n junction. The transient response of such a p-n-junction-containing structure is investigated using differential and integral circuits as examples. The transient-response theoretical curves are corroborated by experimental curves obtained from a p-Ge specimen acted upon by 30-nsec pulses. Orig. art. has: 4 figures and 17 formulas.

SUB CODE: 09 / SUBM DATE: 30Mar65 / ORIG REF: 000 / OTH REF: 003

Card 2/2

SHASKOL'SKIY, B.V., kand. tekhn. nauk; SOTNIKOVA, K.F., inzh.; GAVRILIN, Ye.F.; LUBKOV, A.N.; SAPOZHNIKOV, V.M.; ZHUCHENKO, L.F.; CHIGIRINA, N.I., tekhnik; ZHARIKOV, I.P., inzh.; CHERTISHCHEVA, A.Ye.; SHAPOVALOV, V.K., tekhnik; MOROZOV, A.M., inzh.; SLIVKO, S.V., tekhnik; CHERNAVSKIY, G.N., kand. tekhn. nauk; STRUZHESTRAKH, Ye.I., inzh., ed.; EL'KIND, V.D., tekhn. red.; DEMKINA, N.F., tekhn. red.

[General norms for time and machining conditions used in the industry for machining on automatic lathes; mass, large-lot and lot production] Obshcheshinostroitel'nye normativy vremeni i rezhimov rezaniia na tokarno-avtomatnye raboty; massovoe, krupnoseriinoe i serinoe proizvodstvo. Moskva, Mashgiz, 1962.
271 p. (MIRA 15:12)

1. Moscow. Tsentral'noye byuro promyshlennykh normativov po trudu.
(Turning--Production standards)

ACC NR: AP6025970

SOURCE CODE: UR/0051/66/021/001/0126/0128

AUTHOR: Petrovskiy, G. N.; Tolstoy, N. A.; Fedilov, P. P.; Tsurikova, G. A.;
Shapovalov, V. N.

593

ORG: none

TITLE: Luminescence and stimulated emission of neodymium in fluoberyllate glasses

SOURCE: Optika i spektroskopiya, v. 11, no. 1, 1966, 126-132

TOPIC CODE: stimulated emission, luminescence spectrum, neodymium, fluoberyllate glass, *BERYLLOXIDE COMPOUNDS*, Ya-951ABSTRACT: The luminescence and stimulated emission of the Nd^{3+} ion were studied in fluoberyllate glasses of the following compositions:

- (1) $BeF_2 - 60$; $AlF_3 - 10$; $K_2MgF_6 - 10$; $KF - 3\%$ ($M = Li, Na, K, Rb, Cs, Th$)
(2) $BeF_2 - 70$; $AlF_3 - 10$; $MF - 1.5\%$ ($M = Li, Na, K, Rb, Cs$).
(3) $BeF_2 - 60$; $AlF_3 - 10$; $K_2MgF_6 - 10$; $MF_2 - 5\%$ ($M = Mg, Ca, Sr, Ba, Zn, Cd, Pb$).

Since the absorption and luminescence characteristics of all the glasses were found to be very similar (only glasses containing Li had substantially wider emission bands), the data obtained in the study are considered typical for fluoberyllate glasses of the most diverse compositions. The luminescence spectrum of Yb^{3+} is shown in Fig. 1. Its

Card 1/3

UDC: 535.37:546.657:666.1/2

ACC NR: AP6025970




Fig. 1. Luminance spectra of Nd^{3+} in fluoberyllate glasses at 300 (a) and 77°K (b). Intensity maxima in the various groups are normalized to unity. Broken line indicates the luminescence spectrum of Nd in silicate glass. The regions of generation of stimulated emission are marked.

comparison with spectra of Nd^{3+} in other matrices shows that although in fluoberyllate glasses the half-width of bands corresponding to transitions between the individual splitting components of the terms substantially exceeds that observed in crystals, the bands in these glasses are nevertheless much narrower than in oxygen-containing (for example, silicate) glasses. A second characteristic feature of Nd spectra (and other

Card 2/3

ACC NR: AK6025970

particular (rare earth ions) in fluorapatite glasses is the relatively small "crystalline" splitting of terms, as a result of which the groups of luminescence bands are more compact. The force of the field acting on M^{3+} ion in fluorapatite glasses was found to be small. Generation of stimulated emission was observed at room temperature in cylindrical specimens 40 mm long and 3.5-5.0 mm in diameter, prepared from glass containing optical specimens 40 mm long and 3.5-5.0 mm in diameter, prepared from glass containing 2 mole % MgF_2 . The spectrum of this emission consists of a large number of closely spaced lines. The center of the region of generation corresponds to 10,493 Å, i.e., it is located near the maximum of the luminescence band. Thus, the region of generation in fluorapatite glasses is shifted by over than 100 Å toward the shortwave side as compared to silicate glasses. Orig. art. has: 2 figures. (77)

SUB CODE: 20/ SUBJ DATE: 12Jan66/ ORIG REF: 004/ ORIG RLF: 005/ ATD PRESS:
5055

Card 3/3 hs

SHAPOVALOV, V.P.; MURASHOV, N.A.

Intensiveness of the decomposition of the sod of old fallows in
northern Kulunda. Trudy Biol. inst. Zap.-Sib. fil. AN SSSR no.3:149-
154 '57.
(Kulunda Steppe--Soils)

SHAPOVALOV, V. P.; MURASHOV, N. A.

How cultivation methods and time effect nutrient and moisture dynamics in old Chernozem waste lands of northern Kulunda. Trudy Biol. inst. Zap.-Sib. fil. AN SSSR no. 3:155-163 '57. (MIRA 13:10)
(Kulunda Steppe--Soils)

SHAPOVALOV, V.P.

The integration of a system of two nonlinear ordinary differential equations [with summary in English, p.212]. Vest.Len.un. 12 no.1:188-191 '57.
(Differential equations) (MLRA 10:5)

SHAPOVALOV, V.P.

Effect of temperatures and humidity on the decomposition of plant
remains in Chernozem soils of the northern Kulunda Steppe. Izv. Sib.
otd. AN SSSR no.9:98-102 '59
(MIRA 13:3)

1. Biologicheskiy institut Sibirskogo otdeleniya AN SSSR.
(Kulunda Steppe--Humus)

SHAPOVALOV, V.P.; ZAYKOVA, L.A.

Use of mineral fertilizers in the gray forest soils of Novosibirsk
Province. Trudy Biol. inst. Sib. otd. AN SSSR no.12:108-116 '64.
(MIRA 18:7)

FRENKEL', A.S.; SHMUKLER, K.M.; ANTONOV, G.I.; MINKOVICH, B.D.; SHAPOVALOV,
V.S.

Use of synthetic forsterite brick for the checkerwork in open-
hearth furnace gas regenerators. Sbor.nauch.trud. UNITO no.5:168-
180 '61. (MIRA 15:12)
(Firebrick) (Open-hearth furnaces--Design and construction)

BERMAN, Sh.M.; YAN'SHINA, M.P.; SHAPOVALOV, V.S.; Prinimali uchastiye:
KOVAL'CHUK, Ye.I.; PLOSHENKO, Ye.A.; POPOV, G.I.; SNKAPIN, V.G.;
ANTONOV, G.I.; KOVTUN, A.M.

Service conditions and processes of the wear of basic refractories
in the bulkheads of open-hearth furnace front walls. Sbor.nauch.
trud. UNIIO no.5:181-201 '61. (MIRA 15:12)

1. Ukrainskiy nauchno-issledovatel'skiy institut ogneuporov
(for Antonov, Kovtun).

(Open-hearth furnaces--Design and construction)
(Firebrick--Testing)

ACC NR: 110000000000

SOC.RC CODE: UR/0413/06/000/015/0166/0166

INVENTORS: Yerushkevich, A. S.; Antonov, G. I.; Berman, Sh. M.; Shapovalov, V. S.; Kuznetsovich, D. D.; Revzina, F. S.

C.R.: none

TITLE: A method for producing basic refractory products. Class 80, No. 164693
(Announced by Ukrainian Scientific Research Institute of Refractories (Ukrainskiy Nauchno-issledovatel'skiy institut ogneuporov))

SOURCE: Izobret prom obraz tav zn, no. 15, 1966, 166

TOPIC/TAGS: refractory product, refractory compound, powder metal, powder metallurgy, magnesite, magnesium compound

ABSTRACT: This Author Certificate presents a method for producing basic refractory products from pressed powder containing magnesite by forming this powder. To produce a consistently uniform volume of the products, melted materials such as magnesite, spinel, and forsterite are introduced into the pressing powder. Their amount is 30-40% of the pressed powder by weight. The products may be fired in an oxidizing medium at a temperature of 1750-1800°.

SUB CODE: 1000 SUB DATE: 22Jun64

UDC: 666.763.002.2

SHAPOVALOV, V.V.

Effect of the variability of the heat conductivity coefficient of
the soil on the latter's temperature. Inzh.fiz.zhur. 5 no.1:64-71
Ja '62. (MIRA 15:3)

1. Politekhnicheskiy institut, Leningrad.
(Heat--Conduction) (Soil temperature)

SHAPOVALOV, V.Ye., inzh.; EPSHTEYN, Yu.V., kand.nauk, dotsent

Modeling variable external moment in testing gear mechanisms.
Vest.mashinostr. 42 no.5:14-17 My '62. (MIRA 15:5)
(Gearing—Testing) (Testing machines)

SHAPOVALOV, Ya.S.; BONDARENKO, Ye.Ye., inzh.

Reducing the unevenness of the product of roving machines.
Tekst. prom. 25 no.10:18-22 O '65. (MIRA 18:1C)

1. Glavnnyy inzh. Poltavskoy khlopkopyradil'noy fabriki (for
Shapovalov). 2. Poltavskaya khlopkopyradil'naya fabrika (for
Bondarenko).

SHAPOVALOV, Ya.S.; BONDARENKO, Ye.Ye., inzhener.

Metal open-square headpiece for roving machines. Tekst. prom. 17
no.3:46-48 Mr '57. (MLRA 10:4)

1. Glavnnyy inzhener Poltavskoy khlopkopryadil'noy fabriki (for
Shapovalov).

(Spinning machinery)

DEMEZER, A.A.; DZYUBA, M.L.; BLINOV, L.F. kandidat sel'skokhozyaystvennykh nauk; BOLDYREV, N.I., kandidat pedagogicheskikh nauk; GAY-GULINA, Z.S., GRUDEV, D.I., kandidat sel'skokhozyaystvennykh nauk; DUBROV, Ya.G., professor; KOVALENKO, V.D.; KRYSINA, O.I.; KURKO, V.I.; LEVI M.F., kandidat sel'skokhozyaystvennykh nauk; MORDKOVICH, M.S.; POPOV, I.P. kandidat biologicheskikh nauk; SAGALOVICH, Ye.N., agronom; SILIN, V.N., zootehnik; STRUTANSKIY, I.L., vrach; SUSHKOVA-LYAKHOVICH, M.L., kandidat meditsinskikh nauk; SHAROVALOV, Ya.Ya., kandidat sel'skokhozyaystvennykh nauk; SHENDERETSKIY, E.I., kandidat sel'skokhozyaystvennykh nauk; YAVNEL', A.Yu., kandidat meditsinskikh nauk; RODINA, P.I., redaktor; YUROVITSKIY, Ye.I., redaktor; PEVZNER, V.I., tekhnicheskiy redaktor.

[Home economics] Domovodstvo. Moskva, Gos.izd-vo sel'khoz.lit-ry.
1956. 479 p. (MLRA 10:5)

(Home economics)

Soviet Union Poultry

C-4

USSR / Farm Animals. Poultry.

Abs Jour: Rof Zhur-Biol., No 23, 1958, 105749.

Author : Nakhlapina, N. Yo., Shapovalov, Ya. Ya.

Inst : Not given.

Title : Experience in the Breeding of All-Purpose Fowl
Breeds at the Kuchinsk Fowl-Sovkhoz.

Orig Pub: Ptitsvodstvo, 1956, No 8, 15-19.

Abstract: Data concerning live weight, egg production and
weight of eggs of the hens of the following
breeds are given: New Hampshires, Australorps,
and White Plymouth Rocks, which are being raised
on the Kuchinsk Poultry Sovkhoz since 1945. The
conditions of their management and feeding are
likewise described. As a conclusion it is pointed
out that on the other farms these breeds of
chickens did not develop as might be expected

СМЕТНЕВ И.А. ИДР

SMETNEV, S.I., prof., doktor sel'skokhoz.nauk; BOGDANOV, M.N., zootehnik; GOFRMAN, M.B., zootehnik; GRIGOR'YEV, G.K., zootehnik; ZHIDKIKH, Z.A., kand.sel'skokhoz.nauk; PENIONZHKEVICH, E.E., doktor biolog. nauk, prof.; PREVO, A.A., kand.biolog.nauk; TRET'YAKOV, N.P., doktor sel'skokhoz.nauk, prof.; USPENSKIY, A.A., kand.sel'skokhoz.nauk; USHAKOV, A.A., kand.veterin.nauk; SHAPOVALOV, Ya.Ya., kand.sel'skokhoz.nauk; YAGODIN, P.Ye., zootehnik; YATSYNIN, N.N., zootehnik; FEDOROVSKIY, N.P., kand.biolog.nauk; SYCHIK, Ye.V., red.; PAVLOVA, M.M., tekhnred.

[Poultry raising; a manual for farm managers] Ptitssevodstvo; rukovodstvo dlia zaveduiushchego fermoi. Izd.5, perer.i dop. Moskva, Gos.izd-vo sel'khoz.lit-ry, 1957. 495 p. (Bibliotekha po ptitsevodstvu, no.1) (MIRA 12:4)

1. Deystvitel'nyy chlen Vsesoyuznoy akademii sel'skokhozyaystvennykh nauk im. V.I.Lenina (for Smetnev).
(Poultry)

* USSR/Farm Animals. Domesticated Fowl.

Obs Jour: Ref Zhur-Fiol., No 20, 1953, 92657.

Author : Smetnev, S.I., Ozorov, I.V., Shapovalov, Ya. Ya., Puchkov,
Ye. A., Luk'yanova, V.D., Voskresenskiy, V.I.

Inst : Moscow Agricultural Academy in. K.A. Timiryazev.

Title : Raising Chicks on Deep Litter.

Orig Pub: Ptitsovedstvo, 1957, No 126-131.

Abstract: The experiment was made at the experimental base
of the Moscow Agricultural Academy in. K.A. Timir-
yazev. 850 day old chicks of the Russian White,
Moskovskiy, kucinskiy, Jubilce, Livenskiy varie-
ties were placed in individual sections of the coop
with 12-14 chicks per square meter of floor. Dry
slaked lime was poured onto the floor (1 kg per 1 m²)

Card : 1/2

USSR/Farm Animals - Domestic Fowls.

q-4

Abs JOur : Ref Zhur - Biol., No 7, 1958, 30977

Author : Volkov D.I., Gorodkova N.Ye., Nakhupina A.G.,
Shapovalov Ya. Ya.

Inst Title : -
A New Breed Group of Chickens of an All-Purpose Type -
Kuchinskiye Yubileynyye.
(Novaya porodnaya gruppa kur obshchepol'zovatel'nogo
tipa - kuchinskiye yubileynyye).

Craig Pub : Ptitsvodstvo, 1957, No 6, 19-23

Abstract : The methods of raising the breed and the characteristics
of its exterior, meat quality, egg-laying capacity
(about 175 eggs a year), and area of occurrence are de-
scribed.

Card 1/1

SMETNEV, S.I.

SMETNEV, S.I.; OZEROV, A.V., doktor vet. nauk; SHAPOVALOV, Ya.Ya.; starshiy nauchnyy sotrudnik; BELOV, L.M., zootehnik; VOSKRESENSKIY, S.A., vet. vrach..

Raising chicks of Russian breeds on dry feeds and deep litter.
(MIRA 11:1)

Ptitsevodstvo 8 no.2:10-16 F '58.
1. Ordena Lenina Moskovskaya sel'skokhozyaystvennaya akademiya im. K.A. Timiryazeva. 2. Deystvitel'nyy chlen Vsesoyuznoy akademii sel'skokhozyaystvennykh nauk im. V.I. Lenina (for Smetnev).

(Poultry--Feeding and feeding sturts) (Litter (Bedding))

SHAPOVALOV, Ya.Ya., kand.biol.nauk

Russian Whites and their further improvement. Ptitsvodstvo 8
no.8:29-34 Ag '58. (MIRA 11:10)

1. Kafedra ptitsvodstva Moskovskoy sel'skokhozyaystvennoy
akademii imeni K.A.Timiryazeva.
(Poultry breeds)

SHAPOVALOV, Ya.Ya., kand. biol. nauk; SEREBRYAKOV, A.S.; GORODKOVA, N.Ye.,
zootekhnik.

Kuchino general purpose chickens and their further improvement.
Ptitsevodstvo 8 no.9:16-19 S '58. (MIRA 11:10

1. Direktor Kuchinskogo selektsionnogo ptitsesovkhoza (for
Serebryakov). 2. Kuchinskij selektsionnyy ptitsesovkhoz (for Gorodkova).
(Poultry breeds)

SHAPOVALOV, Ya.Ya., kand.biol. nauk.

Methods of poultry judging and stock reproduction. Ptitsevodstvo
8 no.10:16-24 O '58. (MIRA 11:10)

1.Moskovskaya sel'skokhozyaistvennaya akademiya imeni K.A.
Timiryazeva.
(Poultry--Judging)

SHAPOVALOV, Ya.Ya.

Comparative study on the growth and development of young Russian
White and Jubilee chickens. Trudy Inst.morf.zhiv. no.31:204-214
'60. (MIRA 13:6)

1. Zootehnicheskaya stantsiya Timiryazevskoy sel'skokhozyaystvennoy
akademii.
(Poultry)

KUCHER, Ya.A., inzh.; SHAFovalov, Ye.A., inzh.

AKK unit for rod boltin'. Shchakht. stroi. 7 no.4:15-16 Ap '63.
(MIRA 16:3)

1. Gosudarstvennyy institut po proyektirovaniyu oborudovaniya po
dobyche i obogashcheniyu rud.

GOLDOVSKAYA, T. Ye.; KUL'NEVICH, V. G.; SHAPOVALOV, Ye. N.

Changes occurring in the optical density of furfurol in
storage. Izv. vys. ucheb. zav.: pishch. tekhn. no. 5:96-101
'62. (MIRA 15:10)

1. Krasnodarskiy institut pishchevoy promyshlennosti, kafedra
organicheskoy khimii.

(Furaldehyde—Spectra)

KASPArov, G.N., inzh.; POLYAKOV, A.F., kand.tekhn.nauk; SHAPOVALOV, Ye.N.,
inzh.

Spectrophotometric study of the ripening of perfumery liquids.
Masl.-zhir.prom. 29 no.11:33-36 N '63. (MIRA 16:12)

1. Krasnodarskaya parfyumernaya fabrika (for Kasparov). 2. Krasno-
darskiy politekhnicheskiy institut (for Polyakov, Shapovalov).

"APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R001548610005-1

KUZNETSOV, N.Ya.; KUDRIKIMOV, V.N.; SHANOVALOV, Yu.I.

Effect of the method for producing a caprone melt in autoclaves
on the quality of the parts. Plast. massy no.12:54-56 '64.
(MIRA 18:3)

APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R001548610005-1"

KESTEL'MAN, V.N.; RUTTO, R.A.; KESTEL'MAN, N. Ya.; SHAPOVALOV, Yu.I.;
MIRONOVICH, L.L.

Selecting parameters and methods for applying caprone coatings
on metal surfaces. Mashinostroitel' no.11:33-34 N '64
(MIRA 18:2)

L 01009-66 ENT(m)/EPF(c)/EWP(i)/EWP(v)/EWP(j)/T/EWP(t)/EWP(b) JD/WW/RM

ACCESSION NR: AP5019570

UR/3191/65/000/008/0059/0061

678.675'125.026.3.01:536.53:539.612

47
44

AUTHOR: Kestel'man, V. N.; Rutto, R. A.; Kestel'man, N. Ya.; Shapovalov, Yu. I.; B
Mironovich, L. L.

55, 44

55, 44

55, 44

55, 44

TITLE: Durability and adhesion of nylon coatings as a function of the methods of their deposition on metal surfaces

54, 55, 15

SOURCE: Plasticheskiye massy, no. 8, 1965, 59-61

TOPIC TAGS: adhesive bonding, nylon, steel, cast iron, plastic coating

ABSTRACT: The properties of polyamide coatings, obtained by closely related methods are compared. The optimum temperature of the metal during the deposition of the nylon film was found to be 225-250°C (see fig. 1 of the Enclosure). Deviation from this temperature sharply decreases the adhesion of the coating and its physical and mechanical properties. Sand blasting of the surface of the metal increases the strength of coupling between the coating and the metal. The best adhesion of nylon to steel is achieved when the particle size of nylon is in the 200-270 μ range (see fig. 2 of the Enclosure). Below 200 μ nylon is oxidized at elevated temperatures

Card 1/4

L 01009-66

ACCESSION NR: AP5019570

and above 270 μ it is poorly melted. Powders were produced by dissolution of nylon in caprolactam monomer, precipitation, extraction of solvent and drying. It was found that coatings obtained by different methods differ significantly in their durability. The most stable nylon coatings were obtained by the vibration method. "The authors express their gratitude to S. B. Ratner for his valuable advice." Orig. art. has: 4 figures.

44, 55

3

ASSOCIATION: none

SUBMITTED: 00

ENCL: 02

SUB CODE: MT

NO REF SOV: 006

OTHER: 002

Card 2/4

I 01009-66

ACCESSION NR: AP5019570

ENCLOSURE: 01




Fig. 1. Adhesion of nylon coatings to steel (1,3) and cast iron (2,4) parts as a function of surface temperature.

Card 3/4

I 01009-66

ACCESSION NR: AP5019570

ENCLOSURE: 02




Fig. 2. Adhesion of nylon to steel as a function of the particle size of the nylon powder (the surface of the metal specimens was cleaned by sand blasting).

Card 4/4 *Df*

SHAPOVALOV, Yu. N., NEYMAN, M. S. and MILLER, V. B.

"Investigation of the Isotopic Exchange of Bromine Between Propyl Bromide and Sodium Bromide in an Alcohol Solution", Dokl AN SSSR (Novaya Seriya), Vol. LXXV, No. 3, 1950.

Inst. Chem. Phys., Acad Sci USSR

SO: W-18143, 18 May 1951

22

A

Isotope exchange of bromine between sodium bromide and allyl bromide in alcoholic solution. M. B. Neiman and Yu. M. Shapovalov (Acad. Sci. U.S.S.R., Moscow). *Doklady Akad. Nauk S.S.R.* 77, 423 (1951). The rate of exchange was investigated in a soln. of 10 millimoles $\text{CH}_3\text{CHCH}_2\text{Br}$ and 10 millimoles NaBr tagged with radioactive Br^{35} in 100 ml. EtOH. The 2nd-order rate consts. ($\text{M}^{-1} \text{sec.}^{-2}$) at 10, 20, 40, and 61°, are $10^3 k = 0.6$, 2.6, 12.6, and 40. At equil., Br^{35} is equally distributed between $\text{CH}_3\text{CHCH}_2\text{Br}$ and NaBr. The activation energy $E = 15.5$ kcal./mole; the steric factor $P \approx 1 \times 10^{-3}$, as compared with $K = 18.0$, $P = 2 \times 10^{-2}$ for the exchange between PrBr and NaBr (J.A. 45, 3227). The fact that $\text{CH}_3\text{CHCH}_2\text{Br}$ exchanges Br about 25-30 times as rapidly as PrBr does is thus due to the lower K . The rate of isotopic exchange parallels the ease of electroreduction on a dropping-Hg cathode. Thus, in a 0.1 N Me₄N₃ soln., $\text{CH}_3\text{CHCH}_2\text{Br}$ is reduced at ~ 0.6 v., PrBr only at ~ 1.2 v. - N. Thom

NEYMAN, M. B., MAKSTIOVA, G. V., SHAPOVALOV, Yu. M.

Halides

Mechanism of the exchange between alkyl halides and halides. DOKL. AN SSSR 85 no. 6, 1952.

9. Monthly List of Russian Accessions, Library of Congress, December 1956, Uncl. ²

SHAPOVALOV, YU. M.

Physical Chemistry

Dissertation: "The Influence of the Structure of Molecules on the Velocity of Ionic and Atomic Exchange Reactions." Cand Chem Sci, Inst of Chemical Physics, Acad Sci USSR, Oct-Dec 1953. (Vestnik Akademii Nauk, Moscow, Mar 54)

SO: SUM 213, 20 Sept 1954

Shapovalov, Yu. M.

U S S R .

✓ The effect of pressure on the rate of ionic isotope-exchange reactions. M. B. Neiman, M. G. Gonikberg, V. B. Miller, Yu. M. Shapovalov, and V. S. Zvezdin. *Doklady Akad. Nauk S.S.R.* 92, 385-8 (1953); cf. *C.A.* 47, 3834. The kinetics of the isotope exchange between alkali halides and $n\text{-C}_4\text{H}_9\text{I}$ or $n\text{-C}_4\text{H}_9\text{Br}$ in EtOH was studied at 19° and at pressures of 1, 1600, and 2400 atm. The exchange isotopes were I^{131} and Br^{81} . In both cases an increase in the pressure increases the exchange rate. The data obtained can be used to calc. the difference in the vol. ΔV , of the activated complex and of the initial materials. These values are given as $-\Delta V_1 \approx 13$ ml. and $-\Delta V_{\text{Br}} \approx 12$ ml.

J. Rovtar Leach

Shapovalov, Yu. M.

Influence of structure of alkyl iodides on the rate of the isotopic exchange with Iodine ions and atoms. M. B. Neiman, N. A. Kuznetsov, and Yu. M. Shapovalov.

Doklady Akad. Nauk SSSR 92, 611-14 (1953); cf. C.A. 47, 388h.—The isotopic exchange of iodine from PrI (I) and Me₂CHI (II) with iodine ion of NaI in EtO₂I soln. was studied. The activation energies were 19 kcal. for I and 20.5 kcal. for II, and the exchange with I was 20-25 times faster than with II. The isotopic exchange with the iodine atoms was studied in the cyclohexanol soln. of iodine under Hg-lamp radiation where the iodine atoms formed photo-chemically reacted with the alkyl iodides. Here the exchange with I was 23 times slower than with II. It is proposed that the ionic exchange occurs with an inversion of the tetrahedron; numerical agreement between the rates of racemization and isotopic exchange with iodine ion supports this hypothesis. The at. exchange proceeds without inversion and depends very strongly on the strength of the iodine-C bond; the latter is stronger in I. A. D.

SHPOVALOV, Yu. N.

USSR/Chemistry Physical chemistry

Card : 1/2 Pub. 147 - 11/25

Authors : Neyman, M. B., Shapovalov, Yu. M., and Miller, V. B.

Title : Effect of molecule structure on the rate of ion and atomic isotope exchange reactions. Part 1.- Elongation of a carbon chain of an alkyl radical and its effect on the rate of isotopic exchange of an alkyl halide with halide ions.

Periodical : Zhur. fiz. khim. 28/7, 1243 - 1256, July 1954

Abstract : The isotopic exchange of saturated polyhalide derivatives of the aliphatic series, with sodium halide, was investigated in alcohol-water solutions. The molecular-ion mechanism of the isotopic exchange, which is connected with the inversion in molecular configuration, is explained. The effect of elongation, of the C-chain of the R-radical on the isotopic exchange of alkyl bromides and alkyl iodides with halide ions in alcohol solutions, was analyzed.

Institution : Acad. of Sc. USSR, Institute of Chemical Physics, Moscow

Submitted : October 20, 1953

USSR/ Chemistry Physical chemistry

Card : 2/2 Pub.147 - 11/25

Authors :

Title :

Periodical : Zhur. fiz. khim. 28/7, 1243 - 1256, July 1954

Abstract : The greatest effect of C-chain elongation was established during the transformation from the CH_3 radical into the C_2H_5 radical. Twenty-eight references: 16 USSR, 12 USA (1862 - 1953). Tables; graphs; diagrams.

SHAPOVALOV, Yu. M.

USSR/ Chemistry - Physical chemistry

Card 1/1 : Pub. 22 - 34/46

Authors : Neyman, M. B; Shapovalov, Yu. M.; and Miller, V. B.

Title : Substitution of H-atoms in a CH₃Br molecule by Br-atoms and its effect on the rate of ion isotope exchange.

Periodical : Dok., AN SSSR 97/4, 703-706, Aug 1, 1954

Abstract : The substitution of H-atoms in a CH₃Br molecule by Br-atoms and its effect on the rate and activation energy constant of the isotopic exchange reaction of Br-substitutes of methane with Br-ions, were investigated in a 90%-alcohol solution. Results indicated that the thermal effect of the isotope exchange reaction equalled zero and the equilibrium constant was independent of temperature. The mechanism of isotope exchange, is explained. Nine references: 8-USSR and 1-USA (1869-1953). Tables; graphs.

Institution : Acad. of Sc. USSR, Institute of Chemical Physics

Presented by : Academician N. N. Semenov, March 27, 1954

Shapovalov, Yu. M.

The effect of molecular structure on the rates of atomic and ionic isotope exchange reactions. II. The effects of radical isomerization and of the presence of a double bond on the rate of ionone exchange of halogen radicals with halide ions. M. B. Neiman, V. B. Miller, and Yu. M. Shapovalov (Chem.-Phys. Inst., Acad. Sci. U.S.S.R., Moscow). *Zhur. Fiz. Khim.* 29, 891-7 (1955); cf. C.A. 49, 7839c. The isotope exchange rate of iso-PrBr and iso-PrI with the corresponding halide isotope ions in 90% EtOH, and the effects of the $\pi-\pi$ linkage on the isotope exchange rate were studied. An isomerization of the alkyl radical caused an increase in the activation energy and decreased the rate of the halide ion isotope exchange reaction. The double bend in the β position to the halogen increases the isotope exchange rate. III. The effects of an accumulation of halogen atoms on a carbon atom on the rate of isotope exchange of methane halogen derivatives. *Ibid.* 1042-9. The alkyl isotope exchange with the halide ions may proceed by an ionic-mol. mechanism, accompanied by a configuration inversion, or by an ionization mechanism. The ionization mechanism was proven for the CBr₃ ionic exchange in an alc. soln. The ionic halogen exchange is slowed down when the halogen atoms are grouped around one C atom.

W. M. Sternberg

NEYMAN, M.B.; MILLER, V.B.; SHAPOVALOV, Yu.M.

Investigation of the influence of molecular structure on the rate
of ionic and atomic reactions in isotopic exchange. III. Influence
of the number of halogen atoms to carbon atoms on the speed of
ionic isotopic exchange of halogen derivatives of methane. Zhur.
fiz.khim. 29 no.6:1042-1049 Je '55. (MLRA 9:1)

1. Akademiya nauk SSSR, Institut khimicheskoy fiziki.
(Ion exchange) (Halides--Isotopes) (Methane)

SHAPOVALOV, YU. M.

✓ 9141

INVESTIGATIONS OF THE EFFECT OF MOLECULAR
STRUCTURE ON THE RATE OF IONIC AND ATOMIC
ISOTOPE EXCHANGE REACTIONS. IV. CHAIN RADICAL
ISOTOPE EXCHANGE OF ALKYL IODIDES WITH ELE-
MENTARY IODINE. M. B. Nelman, V. B. Muller, and Ya.
M. Shapovalov (Moscow Inst. of Chem. Physics). Zhur.

FIG. KHIM., 30, 492-9 (1968) Mar. (In Russian)

The exchange reactions $RI + I_2^{131}$ in alcohol solution and
 $RI + I_2^{131}$ in cyclohexane solution have been studied. The
investigations show that lengthening of the carbon chain,
isomerization of the alkyl radical, and substitution in the
 CH_3I molecule of hydrogen atoms by iodine atoms diminish
the rate of ionic molecular reactions and accelerate reac-
tions with a chain radical. (tr-auth)

3

80

REF ID :
ANN. JOUR. : RZBiol., No. 1, 1959, No. 1/2

AUTHOR : Kryzhevich, V. S.
TITLE : Primary hematopoiesis in the chick embryo
SUBJECTS : Hematopoiesis; Embryo development; Chick.

CRIG. PUB. : Tr. Kryzhev. Rev. Inst., 1959, v. 1, 54-5

ABSTRACT : Study of the process of primary hematopoiesis in the chick embryo. In addition to intravascular pluripotential stem cells, the author found a method of erythropoiesis in the yolk sac. The formation of the yolk sac begins at the 4th day. At this stage, the appearance of the first blood vessels is observed. The result shows having a length of 2.5 mm. At the 5th day, the development of the embryo there is noted a connection between the formation of first blood vessels and the differentiation of endodermal cells of germinal area. The author also describes the early form of germinal disk that is an active center of the process of primary hematopoiesis.

SHAPOVALOV, Yu.N. (Simferopol', ul. Zhelyabova, 21, kv.17)

Polysaccharides in human tissues during the early stages of ontogenesis.
Arkh. anat. i embr. 40 no.5:34-38 Mr '61. (MIRA 15:4)

1. Kafedra gistologii i embriologii (zav. - prof. B.P. Khvatov)
Krymskogo meditsinskogo instituta.
(POLYSACCHARIDES) (EMBRYOLOGY, HUMAN)

SHAPOVALOV, Yu.N. (Simferopol', ul. Zhelyabova, 21, kv.17)

Polysaccharides in the tissues of the human embryo during the second month of development. Arkh. anat. gist. i embr. 42 no.1:46-53 Ja '62.
(MIRA 15:4)

1. Kafedra gistologii i embriologii (zav. - prof. B.P.Khvatov)
Krymskogo meditsinskogo instituta.
(EMBRYOLOGY, HUMAN) (POLYSACCHARIDES)

SHAPOVALOV, Yu.N.

Iron in the cells and tissues of early stages of human embryos.
TSitologija 4 no.1:80-83 Ja-F '62. (MIRA 15:4)

1. Kafedra gistologii i embriologii Krymskogo meditsinskogo instituta,
Simferopol'.
(IRON IN THE BODY) (EMBRYOLOGY, HUMAN)

KHVATOV, B.P., doktor med.nauk, prof.; SHAPOVALOV, Yu.N., kand.med.nauk

Contribution of embryology to medicine. Nauka i zhizn' 29 no.3:48-50
(MIRA 15:7)
Mr '62.

1. Zaveduyushchiy naledroy histologii i embryologii Krymskogo
meditsinskogo instituta, Simferopol' (for Khvatov).
(EMBRYOLOGY, HUMAN)

.. SHAIKHAZOV, Yu.N. (Simferopol', ul. Zhelyabova, 21, kv. 17)

Acid mucopolysaccharides at early stages of connective tissue
differentiation in the human embryo. Arkh. anat., gist. i embr.
47 no.7:45-49 Jl ' 64. (MIRA 18:1)

1. Kafedra gistologii i embriologii (zav. - prof. B.P. Khvator)
Krymskogo meditsinskogo instituta, Simferopol', Submitted March
27, 1963.

ERICSSON, N.Y., AND OTHER, U.S. AIR FORCE BASES; AND AIRPORTS.

TELEGRAMS OF ASSISTED STANDARDS FOR THE SECURITY OF THE
BALTIC COAST, FORTRESS, POWER, AND OTHER MATERIALS IN THE
PROTECTION OF VARIOUS PORTS IN THE U.S.S.R. THIS, TRUE.
TELEGRAM FROM RIAA, 193. (RIBA, 193)

SHAPOVALOVA, A.

Friction welding. Trakt. i sel'khozmash. no.2:44-46 F '58.
(MIRA 12:3)

l.Nachal'nik Tsentral'noy zavodskoy laboratorii. Krasnoyarskogo
kombaynovogo zavoda.
(Welding)

BALAKSHINA, M., kand. med. nauk; SHAPOVALOVA, A., glavnnyy vrach rodil'nogo doma

A medical establishment is evacuated. Voen. znan. 41 no.8:26-27 Ag '65.
(MIRA 18:7)

KUZ'MIN, Vitaliy Vasil'yevich; PANKRATOV, Aleksandr Yakovlevich;
SEFERSHAYEV, Memet Abduramanovich; SHAPOVALOVA, Anna
Ivanovna; GOL'DSHTEYN, S.A., red.; BARANOVA, L.G.,
tekhn.red.

[Practical lessons in veterinary microbiology] Prakticheskie
zaniatiia po veterinarnoi mikrobiologii. Pod red. V.V.Kuz'mina.
Izd.2., ispr. i dop. Moskva, Gos.izd-vo sel'khoz.lit-ry, 1959.
203 p. (MIRA 12:7)

(Veterinary bacteriology)

CHUJOV, M. I., CHUMAKOV, V. P., GORYAEV, L. A., and KARALIK, F. M.

Utilizing Leather Waste, Russ. 51954, Oct 31, 1937.

Leather waste is plasticized with rubber and rubber solvents in a heated mixer.

SHAPOVALOVA, A.I., inzhener.

Shortening the production cycle of imitation leather. Leg.prom. 14 no.4:
7-11 Ap '54. (MLRA 7:6)
(Leather, Artificial)

SHAPOVALOVA, A. I.

SHAPOVALOVA, A. I. -- "Author's Abstract of a Dissertation in Competition for the Academic Degree of Candidate in Technical Sciences on the Subject 'Investigations in the Field of Accelerating the Process of Drying and Vulcanization of Plastkozh'. Min Higher Education USSR, Moscow Technological Inst of Light Industry imeni L. M. Kaganovich, Moscow 1955 (Dissertation For the Degree of Doctor of Technical Sciences)

SO: Knizhnaya letopis', No. 37, 3 September 1955

SHAPOVALOVA-A.I.

Rôle of diffusion in the mutual adhesion phenomena of high polymers. S. S. Vovutskii, A. I. Shapovalova and A. P. Pisarenko (Dokl. Akad. Nauk. SSSR, 1955, 105, 1000-1002).—Adsorption and contact-potential theories of the mutual adhesion of high polymers are discussed and rejected. Adhesion is attributed to molecular diffusion, i.e., to mutual solution of the two polymers at the surface of contact. This supposition is borne out by the increase of adhesion energy as the curing temp. is raised (diffusion rate and mutual solubility would increase with rising temp.), and by the observation that the energy of adhesion increases (up to a certain limit) during a long period after the join. The authors' theory also accounts for the non-adhesion of vulcanized polymers.

F. W. KIRKARINE

(3)

M.A.YOUTZ

scopies

PM

Cent. Sci. Res. Inst. Leather Substitutes Ind.

SHAPOVALOVA, A. I.

Name : SHAPOVALOVA, A. I.

Dissertation : Studies in accelerating the drying and
vulcanization of the artificial leather
"plastkocha".

Degree : Cand Tech Sci

Defended At : Min Higher Education USSR, Moscow Tech-
nological Inst of Light Industry imeni
L. M. Kaganovich

Publication Date, Place : 1956, Moscow

Shapovalova, P.I.

Adhesion of high polymers. II. Procedure for the determination of the mutual adhesion of high polymers.
A. I. Shapovalova, S. S. Vorotnikov and A. P. Psharenko
Central Inst. for New Material Substitutes Ind. Moscow
Korolev, Russia. Translated from *Vysokomol. Soedin.*, No. 14, 50, 1961.
A γ -radiation polyacrylonitrile copolymer was used. After setting, the joint was broken by stripping at 20°C . It broke in cohesion at low rates of peeling (e.g., 0.05 cm/sec) and in adhesion at high rates (e.g., 0.3 cm/sec). The further expts. were performed at 0.3 cm/sec. The work W of adhesion was independent of the width of the strip (3 cm \pm 0.150–0.600 cm), and of the pressure applied during setting. For cellophane backing, W was 210,000 and 340,000 erg/cm² 7 days and 120 days after the formation of the joint. When the joint was heated for 40 min. at temp. t and then stripped at room temp., W was greater the higher t (up to 430,000 after $t = 100^{\circ}\text{C}$); when $t > 75^{\circ}$, the rupture was partly in cohesion and partly in adhesion. Both long contact and pre-heating promote mixing of cellophane and adhesive and thus raise W .
J. J. Bikerman

21/10/4

SHAPOVALOVA, A. I.

6
4/20
2 May

Adhesion of high polymers. III. Effect of the size, shape, and polarity of the high-polymer molecules on the adhesion to cellophane. S. S. Voyutskii, A. I. Shapovalova, and A. P. Pisarenko (Central Sci. Research Inst. Leather Substitutes Ind., Moscow). *Kolloid. Zhur.* 19, 274-80 (1957); cf. *C.A.* 51, 10113n.—Films of polymers were deposited on cellophane by solvent evaporation and then peeled off. The resistance R to peeling as a function of the mol. wt. M had a max. at $M = 20,000$ for polybutylenes, and was greater for polyisoprene of $M = 20,000$ to 150,000 than for natural rubber of $M = 150,000$ to 300,000. For polybutadienes and copolymers of butadiene (I) and styrene, R increased as the no. of short side chains in the plastic decreased. For copolymers of I and CH_2CHCN , R increased with the relative amt. of I. R is detd. either by cohesion or by adhesion, and the latter depends on diffusion of polymer into cellophane. J. J. Bikerman.

68704

S/069/60/022/01/0010/025

D034/D003

56 15.1125

AUTHORS: Pisarenko, A.P., Shapovalova, A.I., Voyutskiy, S.S.

TITLE: Adhesion¹ of High Polymers¹
4. The Effect of Mechanical Factors on High Polymer
Adhesion

PERIODICAL: Kolloidnyy zhurnal, 1960, Vol XXII, Nr 1, pp 57-62 (USSR)

ABSTRACT: The authors report on a study of the effect of mechani-
cal adhesion¹ on the strength of attachment of high poly-
mers such as natural rubber, butadiene acrylonitrile
copolymer SKN-40¹ (with 37,7% acrylic acid nitrile),
butadiene styrene copolymer SKS-50¹ (50% styrene), etc.
The adhesives were applied to substrata in the form
of solutions prepared with solvents as benzine, ben-
zene and dichloroethane. As substratum the authors used
a model of cellulose fiber - cellophane with various-
ly roughened surface, and also different tissues of cellu-

Card 1/3

68704
S/069/60/022/01/010/025
D034/D003

Adhesion of High Polymers. 4. The Effect of Mechanical Factors on High Polymer Adhesion

lose fiber. The investigation has shown that the strength of attachment of polymers with low specific adhesion increases tens and hundreds of times with increase in mechanical disruption of the surface, in its porosity and in the elementary fibers projecting from the surface of the fabric. In the presence of mechanical adhesion the bonding strength ordinarily depends on the cohesive strength of the adhesive. The cohesive strength is particularly effective in those cases, where the uneven parts of the substratum (e.g. tissues fibers) penetrate into the adhesive layer and firmly combine with it. In previously published papers [Ref. 1-3] it was found that with the diminution of the molecular weight of polyisobutylene, its specific adhesion changes along a curve with a maximum at a mole-

W

Card 2/3

68704

S/069/60/022/01/010/025
D034/D003

Adhesion of High Polymers. 4. The Effect of Mechanical Factors on High Polymer Adhesion.

cular weight of 20,000. The present study has shown that in the presence of mechanical adhesion the bonding strength is maximum for polyisobutylene with a molecular weight of 200,000, and minimum for polyisobutylene with a molecular weight of 20,000. There are 5 tables and 4 Soviet references.

ASSOCIATION: Vsesoyuznyy nauchno-issledovatel'skiy institut iskusstvennoy kozhi (VNIIK), Moskva (All-Union Synthetic Leather Scientific Research Institut - VNIIK), Moscow)

SUBMITTED: September 22, 1958

Card 3/3

4C

L 34843-65

E.I.(r)/EPF(c)/EPR/EWP(j)/T . Pe-4/Pr-4/Ps-4 RPL WM/RM

ACCESSION NR: AP5008550

S/0286/65/000/006/0062/0062

AUTHOR: Karapetyan, N. G.; Boshnyakov, I. S.; Zhamkochyan, S. G.; Margaryan, A. S.; Zhurkov, D. I.; Yemelyanova, A. P.; Shapovalova, A. I.; Plotnikov, I. V.; Sarkisyan, K. G.

TITLE: A method for producing latexes based on copolymers. Class 39, No. 16950

SOURCE: Byulleten' izobreteniy i tovarnykh znakov, no. 6, 1965, 62

TOPIC TAGS: latex, copolymer, acrylonitrile, methacrylic acid, chloroprene

ABSTRACT: This Author's Certificate introduces a method for producing latexes based on copolymers of chloroprene and methacrylic acid using surface-active agents. The elasticity of the latex is improved by joint polymerization of chloroprene with methacrylic acid in the presence of methylvinylketone, chloro-isoprene or acrylonitrile as additives.

ASSOCIATION: none

Card 1/4

PAVLOVA, Z.S., mladshiy nauchnyy sotrudnik; SHAPOVALOVA, A.I., kand.
tekhn. nauk

Pigments and lacquers for materials based on polyvinyl
chloride. Nauch.-issl. trudy VNIPIK no.14:111-117 '63.
(MIRA 18:12)

SHAPOVALOVA, A.I.

Influence of polarization on electrical responses of muscle fiber. Biul. eksp. biol. i med. 51 no.6:3-8 Je '61. (MIRA 15:6)

1. Iz kafedry farmakologii (zav. - prof. A.V. Val'dman)
I Leningradskogo meditsinskogo instituta imeni I.P. Pavlova.
Predstavlena deystvitel'nym chlenom AMN SSSR V.V. Aakusovym.
(MUSCLE)
(ELECTROPHYSIOLOGY)

SIFERSHAYEV, Mamet Abduramanovich; SHAPOVALOVA, Anna Ivanovna; KUZ'MIN, V.V., doktor vet.nauk, red.; GOL'DSHTEYN, S.A., red.; CHUHAYEVA, Z.V., tekhn.red.

[Role of micro-organisms in stockbreeding] Rol' mikrobov v zhivotnovodstve. Pod red. V.V. Kuz'mina. Moskva, Gos.izd-vo sel'khoz.lit-ry, 1960. 101 p.

(MIRA 14:5)

(Veterinary microbiology)

SHAPOVALOVA, A. Kh.

3
✓ Changes in lungs of experimental animals after intra-tracheal introduction of mineral-wool dust. V. A. Grimal'lovskaya, V. V. Pustovskaya, and A. Kh. Shapovalova (Med. Inst., Kiev). - *Gigiena i Sanit.* 21, No. 8, 22-26 (1960). Mineral-wool dust with relatively low free SiO₂ and moderate contents of bound SiO₂ produces in rats after 2-3 months a moderate sclerosis of diffuse and nodular types; after 6 months a peribronchial sclerosis starts. This is caused by solv. of the dust particles in the lymph. G. M. K.

PAUSTOVSKAYA, V.V., kand.med.nauk; MAKOVSKAYA, Ye.I., kand.med.nauk;
SHAPOVALOVA, A.Kh., starshiy laborant

Effect of mineral wool dust on the body. Vrach.delo no.8:849-851
Ag '59. (MIRA 12:12)

1. Kafedra gigiyeny truda Kiyevskogo meditsinskogo instituta i Kiyev-
skiy institut gigiyeny truda i professional'nykh zabolеваний.
(MINERAL WOOL--PHYSIOLOGICAL EFFECT)

SHAPOVALOVA, A.N.

Using minor tellurium additions in producing wrought iron.
Trakt. i sel'khozmash. no.1:42-43 Ja '59. (MIRA 12:1)

1. Nachal'nik TSentral'noy zavodskoy laboratorii Krasnoyarskogo
kombaynovogo zavoda.
(Wrought iron--Metallurgy) (Tellurium)

SHAPOVALOVA, A.N.

Synthesis of 2-butyne-1,4-diol from formalin and acetylene at
atmospheric pressure. Zhur. prikl. khim. 36 no.4:904-909 Ap '63.
(MIRA 16:7)

(Butynediol) (Formaldehyde) (Acetylene)

SHAPOVALOVA, G. [Shapavalava,H.], deputat sel'skogo soveta.

This is how we live and work. Rab.i sial. 37 no.12:18 D '61.
(MIRA 15:2)
(Klichev District—Rural conditions)

SHAPOVALOVA, G. A. Cand. Geolog-Mineralog Sci.

Dissertation: "Lithology of Spiriferons Deposits of South-East Tataria, and the Paleogeography of the Period of Their Formation." Inst, of Mineral Fuels, Acad. Aci. USSR. 26 Jun 47.

SO: Vechernyaya Moskva, Jun 1947 (Project #17836)

SHAPOVALOVA, G.A.

"The Paleogeography of the Formation Period of Spiripheral Deposits in the Southeastern Tatar and Neighboring Regions South of Chkalov and Kuybyshev Oblasts." From book, Works of the Petroleum Institute, Vol.1, No.1, Academy of Science USSR, 1949.

"APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R001548610005-1

SHAPOVALOVA, N. A.

"Orientation of Gravel Detritus of the 'Dushetskiy' Strata of Tertiary Georgian Deposits as a Criterion of the Drift Paths of Terrigenous Material," Dok. Akad. Nauk GSSR, 67, No. 3, 1949; Petroleum Inst., Acad. Sci., cl949--.

APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R001548610005-1"

"APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R001548610005-1

SHAPOVALOV, V. A.

"The Upper Border of the Spiriferoid Substratum in the Southeast Part of the Russian Platform," #8, No. 3, 1949. Inst. of Petroleum, Acad. Sci. cl949-.

APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R001548610005-1"

SHANIC'YAN, S. S. Retrography of the ^{Malykoo} Maikop and Sarmatian deposits of Eastern Georgia

and the paleogeography of the time of their formation Moskva, Izd-vo Akademii nauk SSSR,
1952. 302 p. maps. (54-22814)

482/6.05

SHANOVACHEVA, G. A.

The Committee on Stalin Prizes (of the Council of Ministers USSR) in the fields of science and inventions announces that the following scientific works, popular scientific books, and textbooks have been submitted for competition for Stalin Prizes for the years 1952 and 1953. (Sovetskaya Kultura, Moscow, No. 22-40, 20 Feb - 3 Apr 1954)

<u>Name</u>	<u>Title of Work</u>	<u>Nominated by</u>
Sarkisyan, S. G. Shanovalova, G. A.	"Petrography of the Maykop and Sarmat Strata of Eastern Georgia"	Petroleum Institute, Academy of Sciences USSR

SO: W-30604, 7 July 1954

СОВЕТСКАЯ СОЮЗНАЯ
СФЕРЫ ПОДЪЕМНОГО МАШИНОСТРОЕНИЯ

VARENTSOV, M.I.; MORDOVSKIY, V.T.; TEODOROVICH, G.I., otvetstvennyy
redaktor; SHAPOVALOVA, L.A., redaktor; ASTAF'YEVA, G.A., tekhnicheskiy
redaktor

[Geological structure of the northern edge of the Gori-Mukhran
depression] Geologicheskoe stroenie severnogo borta Gori Mukhranskoi
depressii. Moskva, Izd-vo Akad. nauk SSSR, 1954. 84 p. (MIRA 8:3)
(Georgia--Geology, Structural)

SHAPOVALOVA, G.A.

~~Concretions and concretion-like formations of Maikop deposits in eastern Georgia. Trudy Inst.nefti no.5:57-74 '55. (MLRA 8:12)~~
(Georgia--Concretions)

BLUDOROV, A.P.; KIRSANOV, N.V.; DISTANOV, U.G.; TUZOVA, L.S.; ARBUZOV, A.Ye..
akademik, redaktor.; MIROPOL'SKIY, L.M., redaktor; SHAPOVALOVA, G.A.,
redaktor; PAVLOVSKIY, A.A., tekhnicheskiy redaktor.

[Tertiary coal-bearing deposits of the central and southern regions
of Bashkiria] Tretichnye uglenosnye otlozheniya tsentral'nykh i iuzhnykh
raionov Bashkirii. Moskva, Izd-vo Akademii nauk SSSR, 1956. 138 p.
(Akademiia nauk SSSR, Kazanskii filial, Kazan. Geologicheskii institut.
Trudy, no.3) (MIRA 9:10)

(Bashkiria--Coal geology)

MIKHAYLOVA, Nelli Aleksandrovna; SARKISYAN, S.G., professor, otvetstvennyy redaktor; SHAPOVALOVA, G.A., redaktor izdatel'stva; MOSKVICHIEVA, N.I., tekhnicheskiy redaktor

[Petrography of Givetian deposits in Ural and Volga petroleum-bearing regions and the paleogeography of the period of their formation] Petrografiia zhivetskikh otlozhenii Uralo-Volzhskoi neftenosnoi oblasti i paleogeografiia vremeni ikh obrazovaniia. Moskva, Izd-vo Akademii nauk SSSR, 1956. 157 p. (MLRA 9:9)

(Petroleum geology)
(Ural Mountain region--Paleogeography)

SARKISYAN, Sergey Galustovich.; FEDOROV, S.F., otv. red.; SHAPOVALOVA, G.A.,
red. Izd-va.; KISELEVA, A.A., tekhn. red.

[Mesozoic and Tertiary deposits in the Baikal region] Mezozoiskie
i tretichnye otlozheniya Pribaikal'ia, Zabaikal'ia i Dal'nego Vostoka.
Moskva, Izd-vo Akad. nauk SSSR, 1958. 336 p. (MIRA 11:10)

1. Chlen-korrespondent AN SSSR (for Fedorov).
(Geology, Stratigraphic)

SHAPOVALOVA, Galina Aleksandrovna; MAKSIMOVA, S.V., otv. red.;
SHLEPOV, V.K., red. izd-va; PRUSAKOVA, T.A., tekhn. red.

[Lithology and conditions of formation of the series in
the Krapivino area of the Kuznets Basin] Litologiya i
usloviya obrazovaniia balakhonskoi svity Krapivinskogo raiona
Kuzbassa. Moskva, Izd-vo Akad. nauk SSSR, 1961. 105 p.
(Kuznets Basin--Geology, Stratigraphic) (MIRA 14:5)

MEL'NIKOV, N.N.; SHVETSOVA-SHILOVSKAYA, K.D.; MAKSIMOVA, Z.I.; BOCHAROVA,
L.P.; SHAPOVALOVA, G.K.

Recovery of insecticidal preparations in aryl esters of the N-alkyl
carbamic acid. Khim. prom. no.10:15-17 O '61. (MIRA 15:2)
(Insecticides)

KORNIYENKO, V.P.; DUBROVSKAYA, M.N.; SHAPOVALOVA, G.M.

Thermal decomposition of solid solutions of salts. Part 2: Thermography
of binary solid solutions of iron and group metal oxalates. Ukr.khim.
zhur. 29 no.3:271-278 '63. (MIRA 16:4)

1. Khar'kovskiy gosudarstvennyy universitet.
(Transition metal oxalates) (Solutions, Solid) (Thermal analysis)

KOZHOU, M.M.; IZHBOLDINA, L.A.; KAPLINA, G.S.; SHAPOVALOVA, I.M.;
CHERENKOVA, V.I.

Littoral and sublittoral benthos of Lake Baikal along the
southeastern shore. Gidrobiol. zhur. 1 no.4:3-11 '65.
(MIRA 18:10)

l. Baykal'skaya biologicheskaya stantsiya Irkutskogo
gosudarstvennogo universiteta.

SHAPOVALOVA, K.B.

Some characteristics of differentiating inhibition in response
to an interoceptive conditioned stimulus. Trudy Inst. fiziol.
10:173-183 '62 (MIRA 17:3)

1. Laboratoriya fiziologii i patologii vysshey nervnoy dey-
tel'nosti (zav. F.P. Mayorov) Instituta fiziologii imeni Pavlova
AN SSSR.

SHAPOVALOVA, L.P.

Some facts about the pharmacological and clinical effect of stigmatia
majdis. Vrach.delo no.2:187-188 F '56. (MLRA 9:7)

I. Kafedra propedivtiki vnutrennikh bolezney (zaveduyushciy
zasluzhennyy deyatel' nauki professor V.M.Kogan-Yasnyy) kafedra
farmakologii Khar'kovskogo meditsinskogo instituta i 26-ya klini-
cheskaya bol'nitsa .
(VITAMIN K3) (CORN(MAIZE) --THERAPEUTIC USE)

SHAPOVALOVA, L.P.; GOROKHOVATSKIY, Ya.B.; RUBNIK, M.Ya.

Oxidation of unsaturated hydrocarbons on a copper catalyst.
Ukr.khim.zhur. 28 no.9:1031-1036 '62. (MIRA 15:12)

1. Institut fizicheskoy khimii im. L.V. Pisarzhevskogo
AN UkrSSR.

(Olefins) (Oxidation)
(Copper catalysts)

SHAPOVALOVA, L.P.; GOROKHOVATSKII, Ya.B.; RUBNIK, M.Ya.

Effect of the products on the rate of isobutylene oxidation on a
copper catalyst. Dokl. AN SSSR 152 no.3:640-643 S '63.
(MIRA 16:12)

1. Institut fizicheskoy khimii im. L.V.Pisarzhevskogo AN UkrSSR.
Predstavлено академиком М.М.Баландиным.

SHARMA, L.S.; GOKADWARI, S.L., MUDGAL, H.P.

Reaction of isobutylene oxidation to methylacrylic acid on a
suspension catalyst. Khim. i kat. 5 no.2:330-336. Mysip '84.
(MIRA 17:8)

2. Isobutylene Oxidation with Iron Catalysts
AN UkrSSR.